Month Day 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Signature Day

19 Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19

Signature

SAFETY HEALTH AND ENVIRONMENTAL AFFAIRS

JUN 14 2001

DO NOT WRITE BELOW THIS LINE.

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (1/99) EPA 8700-22

T Y

Ö

CASE

Z C

-BN 100/06 128079 SALCO PUBLIC SCALE WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or 19204 S. FIGUEROA STREET GARDENA, CA 90248 (310) 352-4483 • FAX (310) 532-2841

sounted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture. Weighed for: Delivered to: DRIVER CARRIER BLNO. FEE PD CHĞ 🗀 WEIGHJF JN LBS. TIME DATE WYCKOFF, INC. WEIGHMASTER GROSS > Date #05/30/01 Weighed at: 19204 S. FIGUEROA STREET Time: 1457 PH GARDENA, CALIFORNIA 90248 69960Lb BY TARE Times 1:49 PM Date:05/30/01 VEHICLÉ LICENSE NUMBERS 23900Lb TRAILER TRAILER TARE Ut TRACTOR ONly UNITS COMMODITY MARK NET NCREC

DRIVER - COPY

# THE BOEING COMPANY

LONG BEACH DIVISION

3855 LAKEWOOD BOULEVARD
LONG BEACH, CA 90846

562-593-4325

## WEIGHT TICKET

			*
VENDOR: F.C.T	GROSS WEIGHT (HEAVY WEIGHT): (TRUCK, BIN(S) AND WASTE)	+	
	TRUCK TARE (LIGHT WEIGHT): TRUCK#:	_	13920
	FIRST BIN BIN TARE (EMPTY WEIGHT): BIN#: [-90-106] TRACKIT#: 00-33	-	3780
Concrete	SECOND BIN BIN TARE (EMPTY WEIGHT): BIN#: TRACKIT #: 00	-	
DISPOSAL FACILITY:  CWM, Kettleman City  MANIFEST #:	NET WEIGHT OF THE LOAD: (WEIGHT OF THE WASTE ONLY)	O T A L	4/280
MANIFEST #: 20879705			A ENT IR THE WEIGHT ON THE MAN FEST OR SHIPP: IG PA ERS
COMMENTS:  DMH WEIGHTTICKETC30100	•		
NAME: Marria Taleff	SIGNATURE:	TIME	57 05/30/8/
	UU		

## See Instructions on back of page 6.

Department of Toxic Substances Control

UNIFORM HAZARDOUS	tor's US EPA ID No.	4	est Document	No.	2. Page 1	Informatio	n in the shaded areas pired by Federal law.
3. Generator's Name and Mailing Address	086510008		3 7	05	of 🧃   anifest Document N	alsope and so	
Douglas Ameratt Co., C6, M/s Dess-com		ġ.		A. Sigle M	annest Document is	ombei	087970
3855 Lakewrood Blvd., Long Beach. CA. St				R State G	enerator's ID	i in the second	
4. Generator's Phone (	Men					কুলাকুলাকুল কুলাকুলাকুল	leterate est
5. Transporter 1 Company Name	6. US EPA ID Number	#1		C State Tr	ansporter's ID (Rese	VIIIV	
/ar	o. oo ziiya ib i toimbei	Ž.				<u>1186</u> 4,1	
Ecology Control Industries	CAD9820	3  0	173	D. Transpo	rter's Phone	1940	1320-2556
7. Transporter 2 Company Name	8. US EPA ID Number	3	or 14 160s.	E. State Tr	ansporter's ID [ <u>Rese</u>	rved.]	1 CHEW - ALWARY
				E Transma	rter's Phone	<del>- K</del> c	<del></del>
D. D. LE STANDARD TO A LINE	10 110 521 12 11						4
P. Designated Facility Name and Site Address	10. UŠ EPA ID Number	ali Me		G. State Fo	эсину <b>х</b> нэг	1 1	
Strendoal Waste Management		*		H. Facility		_1_1_	<u> </u>
15251 Old Skyllen Rd	CATOODS	ian ka k	· [4] ***	in ruciniy	a riione	1559	1386-9711
Celtinman City, CA 33239		1 (A)	12. Con	tainers	13. Total	14. Unit	1 *******
1. US DOT Description (including Proper Shipping Name, Ha	zard Class, and ID Number)		No.	Туре	Quantity	Wt/Vol	I. Waste Number
a. RO. Hazardous waste solid, n.o.s. (Chro	mium 9 NAMT POU					*	State
(13007)	A new color of the same of the color of the		en en a	- H	1100	,gerong	EPA/Other
			001	CMI	-III JJX10		0.0
<b>b</b> .		1.0					State
							EPA/Other:
	<u> </u>	See .				\$6\\.	
. <b>c.</b>							State
		*				No.	EPA/Other
		¥ -				. A	L., y C.,
d.		3. 35					State
		Š					EPA/Other
		**				F	LIAY OTHER
Additional Descriptions for Materials Listed Above				K. Handlin	g Codes for Wastes	Listed Abo	ve
2 Profile number: FA1134 Concrete suprequate	et estabós abarecepcioscos			a.		Ь,	
. The second present the second distributes	es about contratements					d.	
				c.		u.	
5. Special Handling Instructions and Additional Information					1		
		. %. : \$2 . H.				A.	
Hour Emergency Telephone Number (800) 4	24-9300 (Chemitrec).			NG#1 in			
Advises: 19503 South Normandie Ave. To	marce, CA 90502		20 cub	c yard ro	# off bin		
GENERATOR'S CERTIFICATION. IL		* 1	. 1. ( .)	1.1			1 6 1 31 1
GENERATOR'S CERTIFICATION: I hereby declare that the marked, and labeled, and are in all respects in proper co	contents of this consignment are fully adition for transport by highway acc	and accur	ately descrit applicable i	oed above by nternational	r proper shipping no and national govern	ime and are nment regu	classified, packed, lations
If I am a large quantity generator, I certify that I have a practicable and that I have selected the practicable metho	d of treatment storage, or disposal	currently.	available to	me which m	inimizes the presen	tional future	s throat to human hoalth
and the environment; OR, if I am a small quantity genera available to me and that I can afford.	tor, I have made a good faith effort	t to minim	ize my wast	e generation	and select the best	waste mar	nagement method that is
nted/Typed Name	Sign <b>y</b> hure »					Mor	ul D. V.
Varia halast	Mass	1/4	NolL			1	ith Day Ye
Transporter 1 Acknowledgement of Receipt of Materials		1		<b></b>			3000
nted/Typed Name	Signature	A	114	į.		Mor	nth Day Ye
janavy-e	<u> </u>	The .	13/6	America	<u> </u>	MI	5301
. Transporter 2 Acknowledgement of Receipt of Materials nted/Typed Name		1 0	/ /			U	
med typed radiie	Signature	*	9			Mor	nth Day Yea
. Discrepancy Indication Space						्हें. <u>.</u> इ.,	
- 2-3-3-3-3-3 maission opace						<b>.</b>	
						125 G	
		4				\$	
Facility Owner or Operator Certification of receipt of haza	rdous materials covered by this man	ifest excep	t as noted in	Item 19.		<u>.</u>	
nted/Typed Name	Signature					Mor	nth Day Yea
		8				¥ 1	

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

いのである。

4/CS/99 LAND DISPOSAL NOTIFICATION AND CERTIFICATION FOR (M · . . o bujetke . \_\_\_\_ Manifest Doc. No.: <u>79705</u> Douglas Aircraft Company Generator Name: State Manifest No: 208 79705 Profile Number: ej zaterantas zi 15 1. Is this waste a non-wastewater or wastewater? (See 40 CFR 268.2) Check ONE: Nonwastewater X Wastewater 2. Identify ALL USEFA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For code. identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent so vent treatment scandards are listed on the following page. If F039, multi-source leachate applies, those constituents be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.48 standards, then the underlying hazardous constituent(8) present in the waste must be listed and attached. HOW MUST 3. US EFA 4. SUBCATEGORY HAZARDOCS ENTER THE SUBCATEGORY DESCRIPTION. THE WASTE \_ MANAGED? WASTE IF NOT APPLICABLE, SIMPLY CHECK NONE REF ER LETTER NONE DESCRIPTION ROM BELOW 2007 To Adentify F039 or F001-D041, underlying hazardous constituent(s), use the "F039/Underlying Hazardous Constituent Forms provided (CMM-2004) and check here: If no UECs are present in the waste upon its initial generation check here: X To list additional USEFA waste code(s) and subcategorie(s), use the supplemental sheet provided (CWM-2005-B) HOW MUST THE WASTE BE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 258.7). Please understand that if you enterthe letter B1, B3, B4 or D, you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations. RESTRICTED WASTE REQUIRES TREATMENT This waste must be treated to the applicable treatment standards set forth in 40 CFR 268.40. For Hazardous Cecris. "This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45." B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the frequent process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information. I believe that the treatment process has been operated and maintained properly to us to comply with the treatment standards specified in 40 CFR 258.40 without impermissible dilution of the prohibited wasts. (am aware there are significant penalties for submitting a false certification. including the possibility of fine and imprisonment."
Certification removed by Phase IV.) 9.3 COOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by computation in units as specified in 258.42 Table 1. I have been unable to detect the nonwastewater organic constituents caspite having used best good faith efforts to analyze for such constituents. I am aware that there are significant pensities for submitting a false certification, including the possibility of fine and imprisonment 8.4 DECLARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING MAZARDOUS CONSTITUENTS "I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a folse certification, including the possibility of fine and imprisonment, RESTRICTED WASTE SUBJECT TO A VARIANCE This waste is subject to a national especity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 5 above.

For Hazardous Debras: "This hazardous debris is subject to the alternative creatment standards of 40 CPR Part 268.45."

RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

"I certify under penalty of law I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste compiles with the treatment standards opecified in 40 CFR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I im aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

E. WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS This waste to a newly identified waste that is not currently subject to any 40 CFR Part 268 restrictions.

I hereby	certify th	mi all:	information	pessimdue	in this	and all	associated	documenta	ĹZ	complete	and	accurate,	20	the
psec ot	my kudnieda	e and 1	nformation,	1,						_				
Signatu	- 110	Ma	o Julion Chemical	Hedro Mana	Title Igoment	ENV	Eng.	n CWM-2005-	<del>c</del>	Date <u>-</u> /	05	130/0	_	_

If the waste identified on the first page of this form is described by any of the following USEPA hazardous waste codes: F001, F002, F003, F004, F005, and all solvent constituents will not be menitored by the treater, then each constituent MOST be identified below by checking the appropriate box, and this page must accompany the shipment, along with the previous page of this form. If the waste code F039 describes this waste, then the corresponding list of constituents must be attached. If D001-D043 require treatment to 268.48 standards, then the underlying hazardous constituent(s) must also be attached.

				٠.
SOLVENT W	ASTE TRI	EATMENT	STANDARDS	

·			· .
F001 through F005 spont act-		FOOL through FOOS epent sol-	1
vent constituents and their	Treatment Standard	vent constituents and their	Treatment Standard
associated USEPA hazardous		associated USEPA hazardous	·
waste code(s).	Wastewaters   Nonwastewaters	waste code(8).	Mastewaters Nonvascewaters

All spent colvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are mg/l, nenwastewater are mg/kg.

For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

### SUBCATEGORY REFERENCE

A. Ignitable characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.

B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon.

1990 Chemical Woste Management , Inc. - 08/98 - Form CWM-2005-C